

43-C-202

2025012

43-E-232

2025 10

43-C-202

2025012

2025 10 23

01EN25015D-0001-EQ-

P10-002

43-C-202

43-E-232

2.1

2.2

3.1

				kg/hr		MW	
1	43-E-232		1	306030	1000000	32.4	

3.2

43-E-232

01EN25015D-0010-PR-04-43E232"

"

MPaG)	2.0/FV@151	2.5/FV@120
()	210	150
	PX TX	
(mm)	3	3
	Q345R	
	S30403	
	8	Ra
	0.8Ç m	
	20	

1

2016 2.1.2

a) 1.5mm

b) NB/T47019
GB/151

c) 20MPa 10

d) 8 Ra 0.8Ç

m

a) NB/T47008-47010

b) NB/T47013 100% I

20%

3.3

3.3.1

3.3.2

3.3.3

GB/T 8163-2018
GB/T 9948-2013
GB/T 13296-2023
GB/T 25198-2023
GB/T 4732.1~6-2024
NB/T 10558-2021
NB/T 47013.1~13
NB/T 47014-2023
NB/T 47015-2023
NB/T 47016-2023
NB/T 47008-2017
NB/T 47010-2017
NB/T 47019
NB/T 47020~47027-2012

3.4

3.4.1

PDF

3.4.2

01EN25015D-0001-EQ-P10-

3.4.4

3.4.5

3.4.6

3.4.7

0.05MPa

3.4.8

3.4.9

3.4.10

3.4.11

3.4.12

b)

c)

d)

e)

f)

f)

f)

f)

4.1

4.2

()

4.3

4.3.1

4.3.2

4.3.3

4.4

4.4.1

a)

b)

c)

d)

4.4.2

a)

b)

4.4.3

a)

b)

c)

e)

f)

g)

h)

i)

j)

k)

l)

m)

n)

o)

p)

q)

“ ”

www.creditchina.gov.cn

r)

s)



	() () ()	

1

2 01EN25015D-0001-EQ-P10-002

43-C-202

1

1

43-C-202

2025012

2025 10 23

01EN25015D-

0001-EQ-P10-002

2

3

3.2

4

4.1

4.1.1

4.1.2

D

4.2

4.2.1

4.2.2 2022 1 1

3

2800mm

4.3

8

Ra

0.8

μm

5

5.1 2026 06 10

5.2

5.3





84

PX

5.4

15

6

	CHINA KUNLUN CONTRACTING & ENGINEERING CORP			PROJECT	2025		
				UNIT	2025		
F. APPR		DISCIPL			DOC. NO.	01EN25015D-0001-EQ-P10-002	
APPR		PHASE					
CHKD		REV.	0				
DESIGN		DATE	2025.10.23			1 / 20 SHEET 1 OF 20	

2025

1

2025012-43-EQ-ITB-0002

CHECKED	DISCIPL	工艺					
	SIGN						
	DATE	2025.10.23					

%	3
&	3
'	4
(.....	4
)	5
*	7
+	7
,	8
-	9
%\$	10
%%	11
%&	13
%	13
% l	14
% o	14
1	15
2	16
3:	19
4:	20

01EN25001B-0010-EQ-P10-003

01EN25001B-0010-EQ-P10-003

("%

("&

("'

1

2

3

4

5

)"&

)"&'%

a)

b)

D

)"&"&

a)

b)

^

V)

U)

a)

b)

)'''

)''' "%

a)

b)

c)

d)

)''' "&

a)

b)

1

*

/

2

+

+" %

+" &

+''

+'' "%

+'' "&

+'' ''

3 , 100mm

+'' "(

ž

+'' ")

,

, "%

, "&

HG &% &\$%

&' % &

, ''

U

CG#H% &*! &\$&

V) BG#H (+S%

CG#% %

W

&SAPU

%S

, "(

U

BG#H (+SS, (+S%\$

V)

BG#H (+S%

%SS%

I

, ")

-

- "%

- "%%

GB/T 150 GB/T 151 NB/T

47013

- "% &

NB/T 47013

- "%'

A B

GB/T 150.4 10.3.2

- "&

- "&%

GB/T 150 NB/T 47015 GB/T 30583

- "& &

- "&"'

- "&" (

3 100mm

6

- "&")

- ""

- "" "%

GB/T 150 GB/T 151

TSG 21-2016

- "" "&

5

- "(

- "("%

- "("&

,

- "(""

%\$

%\$" %

%\$" %" %

U

V

W

X)

Y)

%\$' %' &

%\$' %' '

GB/T 8923 Sa2.5

%\$' %' (

%\$' %')

%\$' &

%\$' &' %

NB/T 10558

%\$' &' &

%\$' &' '

%\$' &' (

%\$' &')

%\$' &' *

%\$' &' +

0.05MPa

%%

%%' %

%%' %' %

%%' %' &

a)

b)

c)

d)

e) 2

f) 1

g)

h)

i)

j) ()

k)

l)

m)

n)

o)

p)

q)

%%%'

a)

b)

c)

d)

%%' &

%%' &' % 3

%%' &' &

%%''

%%'' "% 4

%%'' "& 7 1 6 2

PDF

A4

%%'' "" 1

01EN25001B-0010-EQ-P10-003

%&

%& %

%& % %

% "'

% "(

%				
&				
'				
(
)				#
*				

%

%

1

1

2

3

4

5

6

7

8

9

10

2

1.

%		(X)	
&		(X)	
'		(X)	
((X)	
)		(X)	
*		(X)	
+		(X)	
,		(X)	
-		(X)	
%\$		(X)	
%%		(X)	
%&		(X)	
%		(X)	
%€		(X)	
%		(X)	
%		(X)	
%		(X)	
%		(X)	
%		(X)	
%		(X)*	
%		(X)*	
&\$		(X)	
&%		(X)	
&&		(X)	

2 (X) *

3

4

2.

%	()	(X)	
&		(X)	
'		(X)	
((X)	
)		(X)	
*		(X)	
+		(X)	
,	(/)	(X)	
-	()	(X)	
%\$	()	(X)	
%%	()	(X)	
%&		(X)	
%		(X)	
%		(X)	

3.

%				%SS%	
&				%SS%	
,					%\$% (
(

1

2

("

%				%SS%	
&				%SS%	
,					%\$% (

1


3:

1	PDF
2	
3	
4	(ITP)
5	WPS PQR
6	
7	
8	
9	

4:

1	
2	
3	
4	
5	
6	()
7	
8	
9	

...		
5		
...		



....	A	20507
....

TAG.NO

Equipment Name

Performance of One Unit